# Management of Cytotoxic Spills

Volume 12 - Fluid and Medication Management Canterbury DHB Policy and Procedure Manual

Isolate the area Protect yourself Confine the spill Clean up the spill Clean the area Dispose of waste

## Isolate

Close windows and doors
Turn off fans
Move patients away

### **Protect**

#### Put on

- 1. shoe covers
- 2. disposable gown
- 3. mask and goggles
- 4. gloves two pairs (purple nitrile and rubber gloves)

# Confine

*Liquid spill* - cover area with disposable pads/towels. Work from uncontaminated area to centre of spill

**Powder spill** - cover with wet disposable pads/towels and work as above.

*Carpet spill* - as above and contact cleaning supervisor for steam cleaning.

#### Clean

- Put clear plastic bag into cytotoxic bag and roll down edges
- Collect contaminated material/towels and put into clear bag
- Gently pour water over spill area on floor

# **Dispose**

- Unroll edges clear bag place 1<sup>st</sup> set of gloves in and seal
- Unroll edges cytotoxic bag, place shoe covers, gown, mask and 2<sup>nd</sup> pair of gloves into bag and seal
- Send to waste removal area
- Perform hand hygiene
- Wash floor area
- Wash bucket/bowl if used and goggles in hot soapy water wearing protective equipment

# **Final Points**

- Replace spill kit
- Document spill on incident and OSH forms

# **Decontamination of Staff**

#### First Aid Measures

## Eyes

- Remove gloves
- Irrigate with water 15-20 minutes
- Seek medical advice
- Complete incident/OSH forms

#### Skin-drug contact

- Shower with copious amounts water 10-20 minutes
- Use soap and rinse off with running water
- Clean shower thoroughly
- Complete incident/OSH forms

#### **Contaminated Materials**

# Minor spill

- Splash, contamination of urine, vomit, faeces, sweat etc
- Hospital issue clothing
- Place materials in alginate lined red laundry bag
- Label cytotoxic and send to laundry
- Personal clothing
- · Double bag in plastic until washed
- Double hot wash as soon as possible in washing machine

# Major spill

- Direct spill of cytotoxic agent, large area of absorption
- Double bag in cytotoxic waste bag and send for incineration

Responsibility of: CNS's Oncology/Haematology Issue Date: June 2012